



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/773,105	02/04/2004	Paul V. Cooper	23438.00042	3958

23619 7590 10/09/2007  
SQUIRE SANDERS & DEMPSEY LLP  
TWO RENAISSANCE SQUARE, 40 NORTH CENTRAL AVENUE  
SUITE 2700  
PHOENIX, AZ 85004-4498

EXAMINER
----------

KASTLER, SCOTT R

ART UNIT	PAPER NUMBER
----------	--------------

1793

MAIL DATE	DELIVERY MODE
-----------	---------------

10/09/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/773,105	COOPER, PAUL V.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Scott Kastler	1742	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 20 August 2007.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-7 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |                                                                                                            |                                                                                         |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                                           | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                |

***Continued Examination Under 37 CFR 1.114***

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/20/2007 has been entered.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over any of Cooper 6345964 (Cooper'964), Cooper 6398525 (Cooper'525) or Cooper 5203681 (Cooper'681) in view of Gilbert et al'821. Each of Cooper'964, Cooper'525 and Cooper'681 teach molten metal pumps, in their claims for example, showing all aspects of the above claims, including a motor, drive shaft, coupling, rotor shaft, pump base, a connective portion with threads, and chamber with a rotor therein showing all aspects of the above claims except the use of a keyway system for connecting the coupling to the rotor shaft. Gilbert et al'821 teaches, in the embodiment of figures 10-14 for example, that keyway systems, as instantly claimed, were known in the metal

Art Unit: 1742

pump art for connecting drive and rotor shafts, in order to ease replacement of the shafts (see col. 2, lines 29-45 for example). Because ease of replacement would also be desirable in each of Cooper'964, Cooper'525 and Cooper'681, motivation to employ the coupling of Gilbert et al'821, including a keyway system, to ease component replacement in any of Cooper'964, Cooper'525 and Cooper'681, would have been a modification obvious to one of ordinary skill in the art at the time the invention was made.

### ***Response to Arguments***

Applicant's arguments filed on 8/20/2007 have been fully considered but they are not persuasive. Applicant's argument that Gilbert'821 does not teach the use of a threaded end is not persuasive because as stated above the claims are rejected based upon a combination of rejections where the Cooper references are cited to teach the use of threads. One cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Applicant's further argument that Gilbert'821 does not teach the use of a coupling having a projection or "key" since the key or projection of Gilbert (the dowel) is a separate piece cemented into the shaft is not persuasive. The instant claims do not exclude the use of a separate projection piece cemented into the shaft (in that the claims do not require that the shaft and projection form an integral member) and therefore a dowel cemented to the shaft would meet the requirements of the claims as presently written.

Art Unit: 1742

Applicant's further argument that the threads of the cited references are not "flat and shallow" is also not persuasive because again, as stated previously, these are relative limitations (in that all of the threads of the applied references include flat portions and could all be considered "shallow" when compared to some other thread depth) since all of the Cooper references recite the use of a threaded end and all of these threaded portions could to some extent be considered flat and shallow, the threads of the Copper references meet the limitation of flat shallow threads.


### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott Kastler whose telephone number is (571) 272-1243. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1742

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Scott Kastler  
Primary Examiner  
Art Unit 1742

sk